

First Study of Trends in Cancer Death Rates by Congressional District Shows Overall Declines; Regional, Ethnic and Racial Disparities Persist

American Cancer Society researchers stress interventions to reduce cancer risk factors and improve access to cancer screening and treatment

ATLANTA, May 9, 2023 – In the first analysis of its kind, researchers at the [American Cancer Society](#) (ACS) discovered cancer death rates across all congressional districts in the United States show an overall decline in the past 25 years, with most districts showing a 20%-45% decline among males and a 10%-40% decline among females. The highest declines were found in districts along the southern coast and border and the smallest declines were in the Midwest and central parts of the South, including Appalachia. The data also showed disparities in cancer death rates based on race and ethnicity. The study was published today in the journal [Cancer](#).

“The good news is overall cancer death rates declined for both men and women in all congressional districts,” said [Dr. Farhad Islami](#), senior scientific director, cancer disparity research at the American Cancer Society and lead author of the study. “However, we saw substantial disparities in progress against cancer mortality across congressional districts. Moreover, while the decline in death rates from cancer was most pronounced for Black men, overall cancer mortality remains substantially higher among Black people compared to other populations. We also found the number of districts with the greatest relative declines in overall cancer death rates was larger among Hispanic people than white people. But paradoxically, Hispanic people also had the largest number of districts with no or smallest relative declines in rates.”

Researchers used county-level cancer death counts and population data from the National Center for Health Statistics to estimate relative change in age-standardized cancer death rates from 1996-2003 to 2012-2020 by sex and congressional district in the U.S. This is the first published study examining disparities in reducing cancer death rates by congressional district and provide data for four common causes of cancer death and by race/ethnicity.

Data was broken down by the four most common cancer types and researchers reported the following:

- **Lung cancer** – The biggest reduction in death rates due to lung cancer were among males across all congressional districts, with declines ranging from 21%-72% since 1996. Districts in the Midwest and South, regions with generally weaker tobacco control policies, saw the smallest declines among both sexes and while women’s deaths from lung cancer had previously been scattered across the U.S., in the latest data, the highest lung cancer deaths in both sexes are clustered in the Midwest and South.
- **Colorectal cancer** – Historically, death rates from colorectal cancer were generally scattered in the Northeast, South, and lower Midwest. A shift has taken place over the past 25 years and now the districts with the highest colorectal cancer death rates are found around the Mississippi River Valley in the South and in Appalachia.
- **Female breast cancer** – Across the country, death rates from female breast cancer dropped by anywhere from 13.6% to 57.7%. The congressional districts which had previously had the highest death rates -- along the East Coast and southern U.S. border -- saw the largest reduction in deaths and now districts in the South and East North-Central section of the Midwest see higher death rates.
- **Prostate cancer** – Again, the districts which had previously seen the highest death rates from prostate cancer – those along the East Coast and in the South – saw the largest drops in the latest data. Relative declines across the U.S. ranged from 25% to more than 68% in some areas. Currently, districts with the highest death rates are concentrated in the South and West.

“Data on progress against cancer by U.S. congressional districts can be an important tool for advocating cancer control,” said Islami. “Multiple factors may have contributed to disparities in declines in cancer death rates across

congressional districts, including differences in the availability of public health policies for tobacco control and access to care among many other policies. Elected representatives could help further advance progress against cancer mortality and reduce cancer disparities in their districts, state, and nationally by supporting broad and equitable implementation of effective interventions to reduce cancer risk factors and improve cancer screening and treatment.”

“While the overall declines in cancer death rates show progress against cancer, the study shows how critical public policy interventions are to reduce persistent disparities nationwide,” said [Lisa A. Lacasse](#), president of ACS’s advocacy affiliate, the American Cancer Society Cancer Action Network. “Elected officials play a very important role in helping to reduce the cancer burden and further progress requires lawmakers to advance policies that help close these gaps and improve access to prevention and early detection services, such as increased federal and state funding for the [National Breast and Cervical Cancer Early Detection Program](#) and tobacco control programs, [expanding Medicaid](#) in the 10 remaining states that have not done so and passing the federal [Prostate Specific Antigen Screening for High Risk Insured Men Act](#). Taking these steps will bring us closer to our vision of ending cancer as we know it, for everyone.”

Other ACS authors participating in this study include: [Dr. Daniel Wiese](#), [Dr. Emily C. Marlow](#), [Tyler B. Kratzer](#), [Jason Massey](#), [Dr. Hyuna Sung](#), and [Dr. Ahmedin Jemal](#).

#

About the American Cancer Society

The American Cancer Society is a leading cancer-fighting organization with a vision to end cancer as we know it, for everyone. For more than 100 years, we have been improving the lives of people with cancer and their families as the only organization combating cancer through advocacy, research, and patient support. We are committed to ensuring everyone has an opportunity to prevent, detect, treat, and survive cancer. To learn more, visit [cancer.org](#) or call our 24/7 helpline at 1-800-227-2345. Connect with us on [Facebook](#), [Twitter](#), and [Instagram](#).

For further information: American Cancer Society, Anne.Doerr@cancer.org
