


Colorectal Cancer Death Rates Rising in People Under 55

Rise confined to white population



A new report finds that colorectal cancer mortality rates have increased in adults under 55 since the mid-2000s after falling for decades, strengthening evidence that previously reported increases in incidence in this age group are not solely the result of more screening. The rise was confined to white individuals according to the report, which [appears in the Journal of the American Medical Association](#).

As reported previously by American Cancer Society investigators, colorectal

cancer (CRC) incidence has been increasing in the United States among adults younger than 55 years since at least the mid-1990s. The increase thus far is confined to white men and women and is most rapid for metastatic disease. CRC mortality overall is declining rapidly, masking trends in young adults, which have not been comprehensively examined.

For the current study, ACS investigators led by Rebecca Siegel, MPH analyzed CRC mortality among persons aged 20 to 54 years by race from 1970 through 2014 using data from the National Center for Health Statistics, representing more than 99% of deaths in the United States. The analysis included 242,637 people ages 20 to 54 who died from CRC between 1970 and 2014.

CRC mortality rates among those ages 20 to 54 declined from 6.3 per 100,000 in 1970 to 3.9 in 2004, at which point mortality rates began to increase by 1.0% annually, eventually reaching 4.3 per 100,000 in 2014. The increase was confined to white individuals, among whom mortality rates increased by 1.4% per year, from 3.6 in 2004 to 4.1 in 2014. Among black individuals, mortality declined throughout the study period at a rate of 0.4% to 1.1% annually (from 8.1 in 1970 to 6.1 in 2014). Among other races combined, mortality rates declined from 1970-2006 and were stable thereafter.

While mortality remained stable in white individuals ages 20 to 29 from 1988-2014, it increased from 1995-2014 by 1.6% per year in those ages 30 to 39 years, and from 2005-2014 by 1.9% per year for those ages 40 to 49 years and by 0.9% per year for those ages 50 to 54 years. Conversely, rates declined in black individuals in every age group. The authors note that these disparate racial patterns are inconsistent with trends in major risk factors for colorectal cancer like obesity, which is universally increasing.

The authors say rising colorectal cancer mortality in people in their 50s was particularly unexpected because screening, which can prevent cancer as well as detect it early, when it is more curable, has been recommended starting at age 50 for decades. Screening prevalence has increased for all age groups over 50, but is lower in people 50 to 54 than in those 55 and older: 44% versus 62%, respectively, in 2013, according to the National Health Interview Survey.

“Although the risk of colorectal cancer remains low for young and middle-aged adults, rising mortality strongly suggests that the increase in incidence is not only earlier detection of prevalent cancer, but a true and perplexing escalation in disease occurrence,” said Siegel. “It is especially surprising for people in their 50s,

“ Although the risk of colorectal cancer remains low for young and middle-aged adults, rising mortality strongly suggests that the increase in incidence is not only earlier detection of prevalent cancer, but a true and perplexing escalation in disease occurrence. ”

for whom screening is recommended, and highlights the need for interventions to improve use of age-appropriate screening and timely follow-up of symptoms.”

[Article](#): Colorectal Cancer Mortality Rates in Adults Aged 20 to 54 Years in the United States, 1970-2014, doi:10.1001/jama.2017.7630.

URL after embargo: <http://jamanetwork.com/journals/jama/article-abstract/2647859>
